


## EC TYPE-EXAMINATION CERTIFICATE: 1708

**Product description: -** 3M 2800 Series Goggles

**Product identification: -** 2890, 2890A, 2890S, 2890SA  
**Replacement lenses:**  
3M 289 (Polycarbonate lens)  
and 3M 289A (Acetate lens)

**Manufacturer: -** 3M United Kingdom PLC  
3M Centre  
Bracknell  
Berkshire  
RG12 8HT

When assessed and examined against harmonised standard(s) EN166:2001 is/are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Signed .....  Date: 1st September 2007

K. J. Warren, Manager, Certification Services

**For and on behalf of INSPEC International Ltd.**  
**(Notified Body No: 0194)**

certificate invalid  
if not embossed

For terms and conditions of issue, see page 2

## Terms and Conditions

Reference Documents: -

- |      |                          |   |   |        |
|------|--------------------------|---|---|--------|
| i)   | Test Reports             | - | } | TF1055 |
| ii)  | Technical File           | - |   |        |
| iii) | Test and Inspection Plan | - |   |        |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



# CERTIFICATION INDEX

<b>Item</b>	<b>Status</b>	<b>Issued</b>	<b>Amendment</b>
1-4	Current	28/8/07	Initial issue
1-4	Withdrawn	11/12/07	
1-4	Current	11/12/07	Editorial amendments



# CERTIFICATION SCHEDULE

Model	Lens	Optical Class	Options
2890 (ventilated)	PC or Acetate	1	BT or FT 3 4 9 (as appropriate)
2890 S (not ventilated)	PC or Acetate	1	BT or FT 3 4 5 9 (as appropriate)
Replacement lenses 3M 289 and 3M 289A			

**Key: -**

F Low energy impact

B Medium energy impact

FT Low energy impact at extremes of temperature

BT Medium energy impact at extremes of temperature

3 Liquid Droplets, 4 Large Dust particles, 5 Gas and fine dust, 9 Molten metals and hot solids

N - Anti fog lens,

K - Scratch resistant,

**Models can be fitted with the following lenses: -**

**Colour**

**Shade No.**

**Options**

CLEAR POLYCARBONATE

2C-1.2

K and N

CLEAR-ACETATE

2C-1.2

N

